<b>VOLUNTEER TRAINING INFORMATIO</b>	N						
Name of volunteer trainee:		Position	า:				
Volunteer phone:		Email:					
School year:		School:					
Student:	Grade/Teacher	:		Email:			
School nurse or licensed trainer:	Phone:			Email:			
Minimum of annua	   rafrashar trainir	na roquir	ad Iram	adiata as r	nacassaru	.1	
Explanation/Return Demonstration	rejresner trunin			ion follow-	-	-	
			nitial	Date	Date	Date	Date
			raining				
			Date				
1. State purpose and name of proce	dure						
2. Identify volunteer's willingness to	participate in th	е					
procedure							
3. Review universal precautions							
4. Identify when glucagon is to be gi	ven						
5. Identify possible problems and ap	propriate action	s.					
6. Identify supplies							
<ul> <li>Glucagon kit</li> </ul>							
<ul> <li>Instructions</li> </ul>							
7. Confirm that the glucagon is appre	•						
with student name, dosage, time		that					
it matches the physician orders or							
medication management order (D							
8. Ensure that the glucagon has not	•						
volunteer verbalizes expired med	ication cannot be	3					
given.	a ( a.t.t.a.a.la.a.al )						
9. Passed applicable skills competen	cy (attached)						
☐ Syringe and vial☐ Nasal spray device (Baqsimi)							
☐ Auto injector device (Gvoke, Z	egalogue)						
☐ Prefilled syringe (Gvoke, Zegal							
10. Identify someone to call EMS/911							
11. Note time glucagon was administe							
12. Turn person on their side							
13. Give used kit/device to EMS perso	nnel						
14. Remove gloves and wash hands							
15. Document the date, time, dose of	glucagon on the	2					
medication administration form.	-						
16. Follow-up with the parent/guardia	an and school nu	ırse.					
17. Special considerations:							
SIGNATURES							
School nurse/licensed trainer name:		Sig	nature:			Date	:
Volunteer trainee name/position:			Sign	ature/initi	als:	Date	:





Student Name:	DOB:					
SKILLS-Syringe and vial kit glucagon kit (e.g. Lilly® Glucagon Emergency Kit, Novo Nordisk® GlucoGen®		Supervi	sion Follo	w-up and	Evaluatio	1
HypoKit ™)	Date	Date	Date	Date	Date	Date
1. Gather glucagon kit and put on gloves.						
2. Identify someone to call 911.						
3. Open kit.						
4. Review needle safety.						
5. Remove flip top seal from vial.						
6. Remove needle protector from syringe.						
<ol><li>Slowly inject all sterile water into vial of glucagon, leaving needle in vial if possible.</li></ol>						
<ol> <li>Gently swirl vial until solution is clear –</li> <li>DO NOT shake vial.</li> </ol>						
8. Withdraw all glucagon solution from vial.						
9. Turn person on their side.						
<ul> <li>10. Insert needle straight in (90 degree angle). Inject glucagon into: <ul> <li>Arm (deltoid) muscle</li> <li>Leg (outer thigh)</li> </ul> </li> <li>Inject through clothing only if necessary.</li> </ul>						
<ol><li>Withdraw needle, apply light pressure at injection site.</li></ol>						
<ol><li>Placed used needle back in kit and close lid.</li><li>DO NOT recap needle.</li></ol>						
13. Give used kit to EMS personnel.						



Student Name:		DOB:	DOB:				
SKILLS-Nasal spray (Baqsimi)		Supervi	sion Follo	w-up and	Evaluatio	n	
	Date	Date	Date	Date	Date	Date	
1. Gather Baqsimi glucagon kit and put on gloves.							
2. Identify someone to call 911.							
<ol> <li>Do not remove shrink wrap or open the tube until you are ready to use it. If shrink wrap is missing or the tube is opened, do not use.</li> </ol>							
4. Remove shrink wrap by pulling on the red stripe.							
<ol> <li>Open lid and remove the device from the tube.</li> <li>CAUTION: do not press the plunger until ready to give the dose.</li> </ol>							
<ol><li>Hold device between fingers and thumb. Do not push plunger yet.</li></ol>							
7. Insert tip gently in one nostril until fingers touch the outside of the nose.							
<ol><li>Push plunger firmly all the way in. Dose is comple when the green line disappears.</li></ol>	te						
9. Turn person on their side.							
10. Give used kit to EMS personnel.							



Student Name: DOB:							
SKII	LLS-Auto Injector (Gvoke Hypopen)		Supervisi	ion Follow	/-up and E	valuation	
		Date	Date	Date	Date	Date	Date
1.	Gather Gvoke hypopen and put on gloves.						
2.	Identify someone to call 911.						
3.	Open the pouch and make sure the medication looks clear and almost colorless. If cloudy or has visible particles, do not use.						
4.	Review needle safety.						
5.	If alcohol is available, clean the injection site.						
6.	Pull red cap off.						
7.	Push yellow end down on skin and hold for 5 seconds. Window will turn red.						
8.	Administer into upper arm, stomach, or thigh						
9.	Turn person on their side.						
10	. Give used kit to EMS personnel.						

DHHS 11/28/2022

#### **Red protective case**



#### ZEGALOGUE

Autoinjector

# Redle end Medicine window Gray cap Yellow needle guard After injection Medicine window

Stud	Student Name:		DOB:	DOB:					
SKIL	LS-Auto Injector (Zegalogue auto-injector)	Supervision Follow-up and Evaluation			1				
		Date	Date	Date	Date	Date	Date		
1.	Gather Zegalogue auto-injector and put on gloves.								
2.	Identify someone to call 911.								
3.	Hold the red protective case upright and remove gray lid. Carefully remove Zegalogue auto-injector from the red protective case without dropping it.								
4.	Review needle safety.								
5.	If alcohol is available, clean the injection site.								
6.	Pull the gray cap straight off.								
<ul><li>7.</li><li>•</li></ul>	Push yellow end straight down on skin until the yellow needle guard is fully pressed down. You may hear the first click.  Hold in place and slowly count to 10. During this time the medication window will turn red and you may hear a second click.								
•	Check that the medicine window is red, which means that the full dose has been given.								
8.	Administer into upper arm, stomach, or thigh.								
9.	Turn person on their side.								
10	. Give used kit to EMS personnel.								



Student Name:	DOB:					
SKILLS-prefilled syringe (Gvoke prefilled syringe)		Superv	vision Foll	ow-up an	d Evaluati	on
	Dat	Date	Date	Date	Date	Date
	е					
1. Gather Gvoke prefilled syringe and put on gloves.						
2. Identify someone to call 911.						
3. Hold the red protective case upright and remove gray lid.						
Carefully remove Gvoke prefilled syringe from the red protective case without dropping it.						
4. Review needle safety.						
5. If alcohol is available, clean the injection site.						
6. Pull the gray needle cover straight off. Be careful not to bend the needle.						
7. Pinch the skin and insert the needle at a 90-degree						
angle.						
Return syringe to red protective case and put gray lid back						
on.						
DO NOT recap the needle.						
8. Administer into upper arm, stomach, or thigh.						
9. Turn person on their side.						
10. Give used kit to EMS personnel.						

#### **Red protective case**



## Z E G A L O G U E° Prefilled Syringe

Plunger roo	Gray needle cover	

Stu	dent Name:			DOB:			
SKIL	LS-prefilled syringe (Zegalogue prefilled syringe)		Supervi	sion Follo	w-up and	Evaluation	n
		Date	Date	Date	Date	Date	Date
1.	Gather Zegalogue prefilled syringe and put on gloves.						
2.	Identify someone to call 911.						
3.	Hold the red protective case upright and remove gray lid. Carefully remove Zegalogue syringe from the red protective case without dropping it.						
4.	Review needle safety.						
5.	If alcohol is available, clean the injection site.						
6.	Pull the gray needle cover straight off. Be careful not to bend the needle.						
	Gently pinch the skin and insert the entire needle into the skin at a 45-degree angle.						
	After inserting the needle, release the pinched skin and slowly press the plunger rod all the way down until the syringe is empty and the plunger rod stops. Carefully remove the needle from the injector site.						
	Return syringe to red protective case and put gray lid back on.						
	DO NOT recap the needle.						
7.	Administer into upper arm, stomach, or thigh.						
8.	Turn person on their side.						
9.	Give used kit to EMS personnel.						